

- Local Health Departments

## NATALITY

TOTAL LIVE BIRTHS			540	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>
Crude Live Birth Rate			10.9	First		204	38	Married			404	75
General Fertility Rate			53.6	Second		156	29	Not married			136	25
				Third		110	20	Unknown			0	0
				Fourth or higher		70	13					
Live births with reported congenital anomalies			5	Unknown		0	0					
			. %									
				<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Delivery Type</u>	<u>Births</u>	<u>Percent</u>		1st trimester		429	79	Elementary or less			29	5
Vaginal after				2nd trimester		87	16	Some high school			45	8
previous cesarean	15	3		3rd trimester		17	3	High school			160	30
Forceps	5	1		No visits		6	1	Some college			167	31
Other vaginal	387	72		Unknown		1	<.5	College graduate			139	26
Primary cesarean	83	15						Unknown			0	0
Repeat cesarean	50	9										
Other or unknown	0	0										
				<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Birthweight</u>	<u>Births</u>	<u>Percent</u>		No visits		6	1	Smoker			84	16
<1,500 gm	7	1.3		1-4		20	4	Nonsmoker			455	84
1,500-2,499 gm	21	3.9		5-9		156	29	Unknown			1	<.5
2,500+ gm	512	94.8		10-12		233	43					
Unknown	0	0		13+		122	23					
				Unknown		3	1					

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
White	532	99	28	5.3	422	79	86	16
Black	2	<.5	*	.	*	.	*	.
Other	6	1	.	.	5	83	1	17
Unknown	0	0	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
<15	0	--	.	.	.	.	.	.
15-17	16	.	1	6.3	9	56	4	25
18-19	31	30	1	3.2	22	71	8	26
20-24	118	63	8	6.8	87	74	28	24
25-29	180	153	8	4.4	157	87	20	11
30-34	128	101	7	5.5	103	80	18	14
35-39	54	31	2	3.7	42	78	7	13
40+	12	.	.	.	9	75	2	17
Unknown	1	--	*	.	*	.	*	.

**Teenage Births** 47 21 \* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	17
Giardiasis	10
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	5
Legionnaire's	0
Lyme	5
Measles	***
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	8
Shigellosis	<5
Tuberculosis	<5

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	42
Genital Herpes	9
Gonorrhea	<5
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	10,541
Non-compliant	62
Percent Compliant	99.4

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	495
Crude Death Rate	998

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	1	.
5-14	4	.
15-19	5	.
20-34	3	.
35-54	30	225
55-64	36	812
65-74	86	2,288
75-84	152	5,646
85+	176	15,507

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	2	.
Neonatal	2	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	2	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	1	.
1,500-2,499 gm	1	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	3	.
Neonatal	2	.
Fetal	1	.

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	151	304
Ischemic heart disease	124	250
Cancer (total)	110	222
Trachea/Bronchus/Lung	29	58
Colorectal	17	.
Female Breast	8	.*
Cerebrovascular Disease	46	93
Lower Resp. Disease	26	52
Pneumonia & Influenza	13	.
Accidents	34	69
Motor vehicle	9	.
Diabetes	20	40
Infectious & Parasitic	4	.
Suicide	2	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	6	.
Other Drugs	5	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	412	6
Alcohol-Related	54	3
With Citation:		
For OWI	33	0
For Speeding	20	0
Motorcyclist	19	0
Bicyclist	4	0
Pedestrian	7	0

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	290	5.8	4.3	\$12,031	\$70
<18	35	3.0	2.9	\$8,598	\$26
18-44	70	3.6	4.9	\$15,965	\$57
45-64	49	4.6	4.7	\$13,449	\$62
65+	136	17.9	4.1	\$10,378	\$186
<b>Injury: Hip Fracture</b>					
Total	48	1.0	4.9	\$12,649	\$12
65+	47	6.2	5.0	\$12,576	\$78
<b>Injury: Poisonings</b>					
Total	23	0.5	3.0	\$6,110	\$3
18-44	12	.	.	.	.
<b>Psychiatric</b>					
Total	282	5.7	5.7	\$5,406	\$31
<18	48	4.1	9.0	\$7,159	\$29
18-44	153	7.8	4.3	\$3,927	\$31
45-64	43	4.0	5.1	\$5,073	\$20
65+	38	5.0	8.0	\$9,523	\$48
<b>Coronary Heart Disease</b>					
Total	259	5.2	3.4	\$13,569	\$71
45-64	79	7.4	3.4	\$16,530	\$122
65+	163	21.5	3.5	\$12,720	\$273
<b>Malignant Neoplasms (Cancers): All</b>					
Total	166	3.3	5.3	\$14,871	\$50
18-44	19	.	.	.	.
45-64	61	5.7	4.0	\$11,410	\$65
65+	85	11.2	5.8	\$14,701	\$165
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	15	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	19	.	.	.	.
65+	13	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	17	.	.	.	.
<b>Diabetes</b>					
Total	46	0.9	4.8	\$11,692	\$11
65+	26	3.4	3.8	\$7,072	\$24

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	105	2.1	2.3	\$2,888	\$6
18-44	63	3.2	2.2	\$2,505	\$8
45-64	34	3.2	2.5	\$3,425	\$11
<b>Pneumonia and Influenza</b>					
Total	140	2.8	3.9	\$7,429	\$21
<18	19	.	.	.	.
45-64	24	2.2	2.9	\$5,802	\$13
65+	86	11.3	4.3	\$8,079	\$92
<b>Cerebrovascular Disease</b>					
Total	103	2.1	4.1	\$10,653	\$22
45-64	11	.	.	.	.
65+	87	11.5	4.1	\$9,585	\$110
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	90	1.8	3.5	\$6,361	\$12
<18	10	.	.	.	.
18-44	13	.	.	.	.
45-64	16	.	.	.	.
65+	51	6.7	4.1	\$7,264	\$49
<b>Drug-Related</b>					
Total	13	.	.	.	.
18-44	7	.	.	.	.
<b>Total Hospitalizations</b>					
Total	3,997	80.6	3.5	\$7,798	\$628
<18	673	57.2	3.1	\$4,325	\$247
18-44	1,075	55.0	3.1	\$6,273	\$345
45-64	747	69.9	3.4	\$9,617	\$672
65+	1,502	198.0	3.9	\$9,541	\$1,889

## PREVENTABLE HOSPITALIZATIONS\*

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Total	587	11.8	3.3	\$6,230	\$74
<18	51	4.3	2.3	\$3,355	\$15
18-44	77	3.9	2.6	\$5,049	\$20
45-64	110	10.3	3.1	\$6,454	\$66
65+	349	46.0	3.6	\$6,840	\$315

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.